

# TSV TELECOM CONSTRUCTIONS LLC CATALOG

**TSVTCONSTRUCTIONS.COM** 





### **About Us**

TSV Telecom Constructions LLC is a Telecommunications & Civil construction company based in Upstate New York.

### **Our Mission**

In accordance with project budgets and deadlines, our goal is to give clients a personalized shopping experience.





### **QUALITY & ASSURANCE**





### **SAFETY & TRAINING**

**INTEGRITY & CHARACTER** 

**TSVTCONSTRUCTIONS.COM** 

## **Products We Offer**



### **CABLE ACCESSORIES**

**Entry Panels Grommets (All types)** Tape **Banding Hoisting Grips Heat Shrink Angle Adapters Cable Seals Cable ties Stand Off Adapters Universal Weather proof kit Core dome type joint closure Roxtec Conduit Seal Kits Coaxial Cable Coax Blocks Network cables and cords** 

### GROUNDING

C-Taps Ground Bars Lugs (All types) Ground Wire Rods (All types) Ground Kits Type B fittings (ADSS-Y) Anchor tools & elements

### **ELECTRICAL SUPPLIES** & ACCESSORIES

Bolts (All Types) Strut (All Types) Shackels End Caps Clamps (All Types) Attenuators Power Hubs Power Inverters PLC Splitter (All Types) Equipment Racks & Accessories

### TEST & MEASUREMENT

RF (Alignment & Safety Monitors) PIM (Analyzers & Accessories) PIM Hunting GPS Receiver Low PIM Adapters Sunsight Alignment tool Fiber Optic Cables & Testers

info@tsvtconstruction.com




Item Name	Part No	Description
	S6S100S1	For 3/8" to 7/8" Connection, RRU and Power Connections
Silicone Cold Shrink Kit	S6S099S1	1/2"-7/8". Cold shrink 13, 5mm - 49, 3mm
	S6S098S1	For 1/4" to 1/2" Connection, Power and Grounding



Item Name	Part No	Description
Pipe to pipe clamps	S6S058S1	Pipe to Pipe Clamps, HD, 1.5 to 4.5 Pipe to Pipe Clamps, Wide, HD, 1-1/2 to 3-1/2

Item Name	Part No	Description
Hose clamp	S6S097S1	1"-2"
	S6S096S1	2"-3"
	S6S095S1	4"-5"
	S6S094S1	5"-6"









-		-		~	-	<b>9</b> 00

Item Name	Part No	Description	
Insert Kits	S6S089S1	3/8" Insert With Bolt and Star Washer	Made of sus304

SS Angle Adapter with 3/4" hole for Snap-In

Hangers

SS Angle Adapter with

3/4" Hole and

Hardware, 3/8" 3/4" Snap-In Hole,

Galvanized Steel

Part No

S6S088S1


S6S087S1

S6S086S1

Item Name

**Universal Angle** 

Adapters



Item Name	Part No	Description
Universal 3-Way Stand Off Adapters	S6S085S1	Stainless Universal Stand Off Adapters (Stainless Steel)



#### info@tsvtconstruction.com

Telecon	Instruction

Item Name	Part No	Description		
Butterfly hanger	S6S084S1	1/2		
	S6S083S1	7/8	Stainlass Steel	
	S6S082S1	1-1/4	Stainless Steel	
	S6S081S1	1-5/8		



Item Name	Part No	Description	
	S6S080S1	1/2	
Universal snap-in	S6S079S1	7/8	Stainless Steel
hanger	S6S078S1	1-1/4	Stainless Steel
	S6S077S1	1-5/8	

Item Name	Part No	Description	
	S6S075S1	1/2	
Stackable snap-In	S6S074S1	7/8	Staiplass Steel
hanger	S6S073S1	1-1/4	Stainless Steel
	S6S072S1	1-5/8	

Item Name	Part No	Description
Universal Weatherproofing Kit	S6S069S1	6 Rolls Butyl Mastic (2- 1/2" x 2') 2 Rolls Electrical PVC Tape (3/4" x 66') 1 Roll Wide Electrical PVC Tape (2" x 20')







Item Name	Part No	Description		
	S6S093S1	2"-3" Stand Off with 3/8"	Made of sus304	
Stand offs	\$6\$092\$1	Tapped Hole,SUS304, without hardware	Galvanized Steel	
Stand ons	S6S091S1	Universal Stand Off with 3/4"	Made of sus304	
	\$6\$090\$1	Hole For Snap-Ins,2"-3" Stand Off, 304,without hardware	Galvanized Steel	



Item Name	Part No	Descr	iption
	S6S067S1	Smaller pipe size: 2- 3/8", larger pipe size: 2-3/8", thickness: 3/8", 4 U-bolts and hardware included.	
Crossover Plate Assemblies	S6S066S1	Smaller pipe size: 2- 3/8", larger pipe size: 2-7/8", thickness: 3/8", 4 U-bolts and hardware included. Smaller pipe size: 2- 3/8", larger pipe size:	Hot-dip galvanized
	S6S065S1	3-1/2", thickness: 3/8", 4 U-bolts and hardware included.	
	S6S064S1	Smaller pipe size: 2- 3/8", larger pipe size: 4-1/2", thickness: 3/8", 4 U-bolts and hardware included.	



### info@tsvtconstruction.com

Telecom	Instruction



Item Name	Part No	Description	
Lugs ( All Types )	S6S063S1	Stainless Steel / Galvanised	

Item Name	Part No	Description
С- Тар	S6S060S1	Stainless Steel / Galvanised



Item Name	Part No	Description
Big hole grommets / Universal grommets	S6S062S1	Size 1-5/8"

Item Name	Part No	Description
Multi hole grommets	S6S061S1	Size 1-5/8"

Item Name	Part No	Description
Grounding Bar	S6S059S1	Stainless Steel / Galvanised / Copper







Item Name	Part No	Description
	S6S071S30	3/8" diameter, 2" throat, 3" length, 1-1/4" thread. Comes w/
	303071330	2 nuts, 2 flat washers and 2 lock washers
	S6S071S31	3/8" diameter, 2-1/2" throat, 3-5/8" length, 1-3/4" thread.
	3030/1331	Comes w/ 2 nuts, 2 flat washers and 2 lock washers
	S6S071S32	3/8" diameter, 2-1/2" throat, 4" length, 2" thread. Comes w/
	3030/1332	2 nuts, 2 flat washers and 2 lock washers
	S6S071S33	3/8" diameter, 3" throat, 4-1/4" length, 2" thread. Comes w/
	3030/1333	2 nuts, 2 flat washers and 2 lock washers
	S6S071S34	3/8" diameter, 3.5" throat, 4-3/4" length, 2" thread. Comes
	505071554	w/ 2 nuts, 2 flat washers and 2 lock washers
	S6S071S35	3/8" diameter, 4" throat, 5.75" length, 2.5" thread. Comes
	3030/1355	w/ 2 nuts, 2 flat washers and 2 lock washers
	S6S071S36	1/2" diameter, 2" throat, 4" length, 2" thread. Comes w/ 2
	3030/1350	nuts, 2 flat washers and 2 lock washers
	S6S071S37	1/2" diameter, 2-1/2" throat, 4" length, 2" thread. Comes w/
	3030/133/	2 nuts, 2 flat washers and 2 lock washers
	S6S071S38	1/2" diameter, 2-1/2" throat, 4-1/4" length, 2" thread.
	3030/1338	Comes w/ 2 nuts, 2 flat washers and 2 lock washers
	S6S071S39	1/2" diameter, 2-1/2" throat, 4-1/2" length, 2" thread.
U - Bolts	3030/1333	Comes w/ 2 nuts, 2 flat washers and 2 lock washers
	S6S071S40	1/2" diameter, 3" throat, 5" length, 2" thread. Comes w/ 2
	303071340	nuts, 2 flat washers and 2 lock washers
	S6S071S41	1/2" diameter, 3" throat, 5-1/4" length, 2" thread. Comes w/
	\$6\$071\$41	2 nuts, 2 flat washers and 2 lock washers
	S6S071S42	1/2" diameter, 3-5/8" throat, 5-1/2" length, 3" thread.
	3030/1342	Comes w/ 2 nuts, 2 flat washers and 2 lock washers
	S6S071S43	1/2" diameter, 3-5/8" throat, 6" length, 3" thread. Comes w/
	3030/1345	2 nuts, 2 flat washers and 2 lock washers
	S6S071S44	1/2" diameter, 4-1/8" throat, 6" length, 3" thread. Comes w/
	303071344	2 nuts, 2 flat washers and 2 lock washers
	S6S071S45	1/2" diameter, 4-5/8" throat, 7" length, 3" thread. Comes w/
	50507154	2 nuts, 2 flat washers and 2 lock washers
	S6S071S46	5/8" diameter, 2-5/8" throat, 4-1/2" length, 2" thread.
	5050/1540	Comes w/ 2 nuts, 2 flat washers and 2 lock washers
	S6S071S47	5/8" diameter, 3-5/8" throat, 6" length, 3" thread. Comes w/
	3030/134/	2 nuts, 2 flat washers and 2 lock washers
	S6S071S48	5/8" diameter, 4-5/8" throat, 7" length, 3" thread. Comes w/
	3030/1348	2 nuts, 2 flat washers and 2 lock washers



#### info@tsvtconstruction.com



Item Name	Part No	Description
	S6S071S1	Nylon, 2.5mm*100mm, kit of 100; Size 2.5*4"
	S6S071S2	Nylon, 2.5mm*150mm, kit of 100; Size 2.5*6"
	S6S071S3	Nylon, 3.6mm*140mm, kit of 100; Size 3.6*5"
	S6S071S4	Nylon, 3.6mm*180mm, kit of 100; Size 3.6*7"
	S6S071S5	Nylon 3.6mm*200mm, kit of 100; Size 3.6*8"
	S6S071S6	Nylon, 3.6mm*300mm, kit of 100; Size 3.6*12"
	S6S071S7	Nylon, 3.6mm*370mm, kit of 100; Size 3.6*15"
	S6S071S8	Nylon, 4.8mm*185mm, kit of 100; Size 4.8*7.5"
	S6S071S9	Nylon, 4.8mm*200mm, kit of 100; Size 4.8*8"
	S6S071S10	Nylon, 4.8mm*250mm, kit of 100; Size 4.8*10"
	S6S071S11	Nylon, 4.8mm*280mm, kit of 100; Size 4.8*11"
	S6S071S12	Nylon, 4.8mm*300mm, kit of 100; Size 4.8*12"
	S6S071S13	Nylon, 4.8mm*350mm, kit of 100; Size 4.8*14"
Self-lock cable tie	S6S071S14	Nylon, 4.8mm*380mm, kit of 100; Size 4.8*15"
Self-lock cable tie	S6S071S15	Nylon, 4.8mm*400mm, kit of 100; Size 4.8*16"
	S6S071S16	Nylon,4.8mm*450mm, kit of 100; Size 4.8*18"
	S6S071S17	Nylon, 4.8mm*500mm, kit of 100; Size 4.8*20"
-	\$6\$071\$18	Nylon, 7.6mm*200mm, kit of 100; Size 7.6*8"
-	\$6\$071\$19	Nylon,7.6mm*250mm, kit of 100; Size 7.6*10"
-	S6S071S20	Nylon, 7.6mm*300mm, kit of 100; Size 7.6*12"
	S6S071S21	Nylon, 7.6mm*370mm, kit of 100; Size 7.6*15"
-	S6S071S22	Nylon, 7.6mm*400mm, kit of 100; Size 7.6*16"
-	\$6\$071\$23	Nylon, 9mm*400mm, kit of 100; Size 9*16"
-	\$6\$071\$24	Nylon, 9mm*460mm, kit of 100; Size 9*18"
-	\$6\$071\$25	Nylon, 9mm*500mm, kit of 100; Size 9*20"
	S6S071S26	Nylon, 9mm*550mm, kit of 100; Size 9*22"
	S6S071S27	Nylon, 9mm*600mm, kit of 100; Size 9*24"
	S6S071S28	Nylon, 9mm*700mm, kit of 100; Size 9*28"
	S6S071S29	Nylon, 9mm*900mm, kit of 100; Size 9*36"





Item Name	Part No	Descrij	ption	a) (	
		[GU/10"/IDE4/GOV/g/Glass			

[2200x900x600/42U/19"/IP54/R AL 7045]

YFY-IDC-C-6642

Description

Each

Wall-Mount Rack	S6S025S1	Door/RAL 7045] YFY-IDC-C-6606	Each	
-----------------	----------	----------------------------------	------	--



....

	1 A	
1		

Item Name	Part No	Descr	iption
2 Post floor mounted open racks 29U	S6S027S1	600mm x 600mm x 1422mm YFY-IDC-C-2K	Each

Item Name

Close Rack

Part No

S6S026S1

Item Name	Part No	Description	
Extended anchor Type A (2 extension)	S6S037S1	Extended anchor Y	Each



#### info@tsvtconstruction.com



Item Name	Part No	Description	
Network cables UTP 2 Cat	S6S058S1	5e 2*2*0.55 LSZH YFY-WX-U5e	Per meter

Item Name	Part No	Descr	iption
Network cables UTP 4 Cat	S6S057S1	6 4*2*0.55 PVC YFY-WX-U6	Per meter

Item Name	Part No	Description		
Simplex SC/APC Patch cord 2M	S6S057S1	2.0mm SM 6 4*2*0.55 PVC	Each	

Item Name	Part No	Description	
Simplex SC/APC-E2000 Patch cord 2M	S6S055S1	2.0mm SM YFY-TX-SA-EA	Each





Item Name	Part No	Description	
Simplex FC/UPC FC/UPC Patch cord 2M	S6S054S1	2.0mm SM YFY-TX-FU-FU	Each



Item Name	Part No	Description	
48 Core Dome Type Joint Closure (A)	S6S052S1	YFY-JC-M48 <b>A</b>	Each



Item Name	Part No	Description	
48 Core Dome Type Joint Closure (B)	S6S053S1	YFY-JC-M48 <b>B</b>	Each

### info@tsvtconstruction.com



Item Name	Part No	Description	
96 Core Dome Type Joint Closure	S6S051S1	YFY-JC-M96 <b>A</b>	Each



Item Name	Part No	Description	
192 Core Dome Type Joint Closure	S6S050S1	YFY-JC-M192 <b>A</b>	Each



Item Name	Part No	Descr	ription
12 Core Fiber Optic Joint Closure	S6S049S1	YFY-JC-H12 <b>A</b>	Each

Item Name	Part No	Part No Description	
24 Core Fiber Optic Joint Closure	S6S048S1	YFY-JC-F24 <b>B</b>	Each







Item Name	Part No	Descr	iption
2 Core Fiber Optic Faceplate	S6S047S1	YFY-OTB-2A (Includes adapter and pigtail)	Each



Item Name	Part No	Descr	iption
4 Core Fiber Optic Faceplate	S6S046S1	YFY-OTB-4B (Includes adapter and pigtail)	Each

-	

Item Name	Part No	Description	
Clamp-wedge anchor element	S6S043S1	HT 1600A	Each



### info@tsvtconstruction.com




Item Name	Part No	Descr	iption
Arc clamp-wedge anchor element	S6S042S1	HT-16OOB	Each



Item Name	Part No	Description	
Tightening and regulating screw	S6S041S1	HT 6100	Each



Item Name	Part No	Descr	iption
Type B fittings for ADSS-Y	S6S040S1	Type B FITTING for ADSS. SPAN 120M (suspension meet CNT OFC spec.)	Each





0			
1	1		
1		1	
	1	1	

DE (120M SPAN)		12, 50mm		
		·		$\sim$
Item Name	Part No	Descr	iption	
PREFORMADO DIAMETROS DE CABLE DE (110M SPAN)	S6S038S1	ADSS 96F preformed tension rod set Y, 13, 10 A, 14, 10mm	Each	

Item Name	Part No	Descr	iption
24 core ODF	S6S036S1	YFY-FDU-MG	Each



Item Name	Part No	Desci	ription
72 core ODF	S6S035S1	YFY-FDU-T	Each



### www.tsvtconstruction.com

### info@tsvtconstruction.com




Item Name	Part No	Descr	iption
Bare Fiber type PLC splitter	S6S034S1	splitter 1*8 YFY-SPL-PLC-Bw	Each



Item Name	Part No	Descr	iption
Micro optical splitter	S6S033S1	SC/ APC 1*8 YFY-SPL-PLC-Bw	Each



Item Name	Part No	Descr	iption
Modular type PLC splitter	S6S032S1	splitter 1*8 YFY-SPL-PLC-M	Each







Item Name	Part No	Descr	iption	
Cassette type PLC splitter	S6S030S1	splitter 1*8 YFY-SPL-PLC-C	Each	٩



Item Name	Part No	Descr	ription
The adapter proxodnoy SC / UPC	S6S028S1	SC / UPC, simplex	Each



Item Name	Part No	Descr	iption
The adapter proxodnoy LC / UPC	S6S029S1	LC / UPC, Duplex	Each



### www.tsvtconstruction.com

### info@tsvtconstruction.com



Item Name	Description	
Coax blocks	3/8", 7/8", 5/8", 10mm, 12mm, 16mm	Support Block



Item Name	Description
Rod Kits	4" to 12", Stainless Steel / Galvanised



Item Name	Description	
RF SAFETY	60GHz RF Monitor, 40GHz RF	Offers a variety of Personal RF
MONITORS	Monitor	Safety Monitors





Item Name	Description	
Ground Kits	1/2", 1/4", 5/8", 7/8"	Copper





Item Name	Description	
	ODM TTK-500	
ODM Fiber Optic Cable Testers	ODM TTK-650	Fiber optic testing equipment
	ODM TTK-720	



### info@tsvtconstruction.com



Item Name	Description	
Conduit Hanger	1/2", 1/4",3/8", 5/8", 7/8" 1" to 4"	Stainless Steel/ Zinc Plated Steel



Item Name	Description	
Hoisting Grips	1/2", 1/4",3/8", 5/8", 7/8" 1" to 4"	Zinc Plated Steel/ Stainless steel

Item Name	Descr	iption	
Roxtec Cable	4" Seal for 5 cables & 9 cables	Nickel-plated brass/ Stainless	
Seals	5" Seal for 4 cables & 5 cables	steel	



Item Name	Description
Entry Panels	1, 2, 4, 8, 12 ,24, 36 port panel



Item Name	Descr	iption
	Anritsu S331D	
	Anritsu S332D	
	Anritsu S331E	
PIM (Analyzers)	Anritsu S332E	Site Master Cable and Antenna Analyzer
	Anritsu S331L	
	Anritsu S361E	
	Anritsu S362E	





### info@tsvtconstruction.com



Item Name	Description	
Low PIM Adapters	SMA to SMA Type	SMA (F) to SMA (F)
	DIN to DIN type	DIN (M) to DIN (F), DIN (F) to DIN (F)
	DIN to 4.3-10 type	DIN (M) to 4.3-10 (F)
	4.3-10 to SMA type	4.3-10 (M) to SMA (F)
	DIN to SMA type	DIN (M) to SMA (M), DIN (M) to SMA (F)
	DIN to N type	DIN (M) to N (F)




Item Name	Description	
РІМ	IAK-0060A	
(Accessories)	Kaelus RTF Series	Site Master Cable and Antenna
PIM (hunting)	PIMPROBE	Analyzer
	PIM Blankets	

Item Name	Description	
Roxtec Conduit Seal Kits	2" Cable Entry Seal for 1 Cable 2" Cable Entry Seal for 4 Cable 2" Cable Entry Seal for 9 Cable	Nickel-plated brass/ Stainless steel



Item Name	Description		
Power inverters	Total Power Outlets is 4 Input Voltage is 12 Volts	-Premium 300W Power Inverters -Mufti-Protection -Fast Charging	



#### info@tsvtconstruction.com



Item Name	Description	
Sunsight SS-T- BASE	accuracy of .3 degrees RMS in azimuth	Antenna Alignment Tool



Item Name	Description	
Sunsight AAT-30	Accuracy: Azimuth R99* : .75° Azimuth RMS* : .3° Output : PDF, CSV, proprietary encrypted format.	Antenna Alignment Tool



Item Name	Description	
Banding	Length: 100ft (30m)	Stainless Steel



Item Name	Description	
Shackles	1/2" 1/4" 3/8" 5/8"	Orange Powder Coated, Heavy Duty / Galvanized





Item Name	Description	
Black electrical	3/4 Inches	Strong, rubber-based adhesive is
tape	66 Feet	non-corrosive

Item Name	Descriptio	n	
Colored tape 35 series/ 1700 series	Vinyl Electrical Tape, Blue Vinyl Electrical Tape, Red Vinyl Electrical Tape, Yellow Vinyl Electrical Tape, Brown Vinyl Electrical Tape, Gray Vinyl Electrical Tape, Green Vinyl Electrical Tape, White Vinyl Electrical Tape, Orange	3/4" x 66' Super Strong Adhesion	



### info@tsvtconstruction.com



Item Name	Description
Anchor Rail Adapters	Anchor Rail Adapter with 3/4" Hole



Item Name	Description	
	Pre-Galvanized Strut	1-5/8" x 10', 1/2" X 1-1/2"
Strut (all types)	Snap-In Strut	Galvanized, 10', 3/4" and 1/2" Alternating Slots Pre-Galvanized, 10', 3/4" and 1/2" Alternating Slots
	Hot-Dipped Strut	7/8" X 10', 1/2" X 1-1/2" 1-5/8" X 10', 1/2" X 1-1/2"

Item Name		Description
Strut straps	1/2" ID 3/4" ID 1-1/2" ID 1-1/4" ID 2" ID 2-1/2" ID 3" ID 4" ID 5" ID 6" ID	Galvanized







Item Name		Description
Strut Caps	1-5/8" 7/8"	End Cap, Yellow (bag of 100) End Cap, White (bag of 100) End Cap, Red (bag of 100)



Item Name	Description
Attenuators	10W, 50W, 100W, 150W, 300W Maximum Power Input



### info@tsvtconstruction.com



Item Name	Description	
Power hubs	7 x USB-A 3.0/3.1 Gen 1 Ports	-Compatible with Windows 2000 & Later -Per-Port Power Switches with LEDs -Supports Bus & AC Power -Connect up to 7 Devices at Once



Item Name	Description
RFS Coaxial Cable	<ul> <li>1/2" CELLFLEX Fire Retardant Foam-Dielectric Cable</li> <li>1/2" CELLFLEX Low-Loss Foam-Dielectric Coaxial Cable</li> <li>1-5/8" CELLFLEX Low-Loss Foam-Dielectric Coaxial Cable</li> <li>1-5/8" CELLFLEX Fire Retardant Foam-Dielectric Coaxial Cable</li> <li>1-1/4" CELLFLEX Ultraflexible Foam-Dielectric Coaxial Cable</li> <li>2-1/4" CELLFLEX Low-Loss Foam-Dielectric Coaxial Cable</li> <li>7/8" CELLFLEX Ultraflexible Foam-Dielectric Coaxial Cable</li> <li>7/8" CELLFLEX Low-Loss Foam-Dielectric Coaxial Cable</li> </ul>

Item Name	Description	
RFS Superflex Cable	1/2" CELLFLEX Low-Loss	
	1/2" CELLFLEX Superflexible Foam-Dielectric Coaxial Cable	
	1/2" CELLFLEX Fire Retardant Superflexible Foam-Dielectric Cable	
	1/4" CELLFLEX Superflexible Foam-Dielectric Coaxial Cable	
	1/4" CELLFLEX Fire Retardant Superflexible Foam-Dielectric Cable	



Item Name	Description
Air Plenum Cable	7/8" HELIFLEX Plenum-Rated Air-Dielectric Coaxial Cable





Item Name	Description
Air Cable	1-5/8" HELIFLEX Air-Dielectric Coaxial Cable 7/8" HELIFLEX Air-Dielectric Coaxial Cable

Item Name	Description	
Radiating Cable	1/2" RADIAFLEX Radiating Cable	_





### info@tsvtconstruction.com



### A CONNECTION TO THE FUTURE

EMAIL US YOUR REQUEST. FOR ENQUIRES GIVE US A CALL.

### **2023 PRODUCT CATALOG**





**INFO@TSVTCONSTRUCTION.COM** 

#### 181 BLACKBERRY RD, LIVERPOOL, NY 13090

**TSVTCONSTRUCTIONS.COM**